

| | Document ID | Current OR | Current XRef |
|---|--------------|------------|--|
| 1 | US 6161591 A | 138/121 | 138/122; 138/137; 138/173 |
| 2 | US 6039082 A | 138/121 | 138/122; 138/137; 138/173 |
| 3 | US 5394904 A | 138/137 | 138/103; 138/111; 138/148 |
| 4 | US 5279332 A | 138/111 | 138/121; 138/122; 138/132; 138/137; 264/241 |
| 5 | US 5129428 A | 138/104 | 138/113; 138/121; 138/148 |
| 6 | US 3721898 A | 324/693 | 138/104; 324/609; 324/718; 340/605; 405/154.1; 405/157; 405/184.1; 73/49.1 |
| 7 | US 3299417 A | 340/605 | 138/114; 138/121; 138/148; 200/81R; 200/83C; 285/226; 285/93; 29/423; 29/455.1; 340/626; 73/49.1 |

| | Document ID | Current OR | Current XRef |
|----|---------------------|------------|---|
| 8 | US 2691698 A | 380/252 | 174/102R; 174/107; 174/108; 174/115; 174/27; 174/36; 340/647; 340/652; 361/191; 379/33; 379/416; 713/194 |
| 9 | US 5228478 A | 138/104 | 116/208; 138/36; 174/47 |
| 10 | US 5654499 A | 73/40.5R | 138/104; 340/605 |
| 11 | US 5267670 A | 222/1 | 138/104; 141/44; 141/59; 174/47; 200/61.04; 222/40; 340/605; 73/40.5R |
| 12 | US 5243128 A | 174/47 | 138/104; 324/206; 324/207.16; 324/207.24; 324/226; 324/234; 33/716; 33/719; 33/733 |
| 13 | US 3882382 A | 324/694 | 138/104; 138/113; 138/114; 138/148; 138/149; 200/61.05; 340/605; 73/49.1 |
| 14 | US 6386237 B1 | 138/104 | 116/208; 138/123; 138/127 |

| | Document ID | Current OR | Current XRef |
|----|---------------------|------------|--|
| 15 | US 4427033 A | 138/103 | 138/125; 138/127; 138/130; 138/153; 138/172; 138/174; 138/178; 74/502.5 |
| 16 | US 5551484 A | 138/104 | 138/125; 138/172; 138/DIG.2 |
| 17 | US 5381511 A | 392/472 | 138/104; 392/480 |
| 18 | US 5172730 A | 138/104 | 138/103; 138/178; 138/98; 174/11R; 405/154.1; 405/157; 405/184.1; 405/52; 73/40.5R; 73/49.1; 73/49.5 |
| 19 | US 5036210 A | 235/493 | 138/104; 138/105; 264/105; 264/108; 324/326; 324/67; 405/157 |
| 20 | US 4554650 A | 367/154 | 138/103; 138/104; 138/174; 174/47; 367/155; 367/169 |
| 21 | US 6386317 B1 | 181/252 | 181/224; 181/229 |

| | Document ID | Current OR | Current XRef |
|----|-----------------|------------|---|
| 22 | US 4029889 A | 174/11R | 138/103; 138/104; 138/DIG.6; 174/107; 174/110FC; 174/115; 324/519; 324/533; 324/534; 324/541; 324/544; 340/605 |
| 23 | US 3602331 A | 181/206 | 381/71.7 |
| 24 | US 5423658 A | 415/118 | 181/206; 244/1N; 381/71.2; 381/71.7; 381/71.9; 415/119 |
| 25 | US 4171465 A | 381/71.5 | 181/206 |
| 26 | US 4109108 A | 381/71.5 | 181/206 |
| 27 | US 4025724 A | 381/71.2 | 181/206; 367/1; 381/71.13; 700/280 |
| 28 | US 3845657 A | 138/36 | 138/104; 138/171; 285/93; 340/525; 340/665; 73/769; 73/771 |